

Test Report

No. CANEC2225795401

Date: 16 Dec 2022

Page 1 of 6

Client Name : AROVAST CORPORATION

Client Address : 1202 N. MILLER ST. SUITE A, ANAHEIM, CA 92806, USA

Sample Name : Accessories of Air Fryer

Client Ref. Info. : Used for CAF-LI401,CAF-LI401S,CP158-AF Series,CS158-AF Series,
CP168-AF Series,CP258-AF Series,CAF-P583S Series,CAF-L501 Series,
CP137-AF Series,CO158-AF Series,CP237-AF Series,CP169-AF Series,
CS169-AF Series,CS168-AF Series,C137-6AC,C137-FB,C158-6AC,
C158-FB,CAF-BA503S Series,CAF-CP503S Series,CAF-P582B

The above sample(s) and information were provided by the client.

SGS Job No. : CP22-063913 - SZ

Date of Sample Received : 29 Nov 2022

Testing Period : 29 Nov 2022 - 08 Dec 2022

Test Requested : Selected test(s) as requested by the client.

Test Method(s) : Please refer to next page(s).

Test Result(s) : Please refer to next page(s).

Signed for and on behalf of
SGS-CSTC Standards Technical Services Co., Ltd. Guangzhou Branch

Coral Qiu

Coral Qiu
Approved Signatory

scan to see the report



CDF05C41



SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch Testing Center Chemical Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

198 Kazhu Road, Science Park Guangzhou Economic & Technology Development District, Guangzhou, China 510663
中国·广州·经济技术开发区科学城科珠路198号 邮编: 510663

t (86-20) 82155555 www.sgs.com
t (86-20) 82155555 sgs.china@sgs.com

Test Result(s) :

Test Part Description :

| Specimen No. | SGS Sample ID | Description |
|--------------|------------------|------------------------|
| SN1 | CAN22-257954.001 | Black coating on metal |

Remarks :

- (1) 1 mg/kg = 1 ppm = 0.0001%
- (2) MDL = Method Detection Limit
- (3) ND = Not Detected (< MDL)
- (4) "-" = Not Regulated

Per- and polyfluoroalkyl substances (PFASs)

Test Method : SGS In-house method (SGS-CCL-TOP-062-04, SGS-CCL-TOP-062-06 and SGS-CCL-TOP-062-08).

| <u>Test Item(s)</u> | <u>CAS NO.</u> | <u>Unit</u> | <u>MDL</u> | <u>001</u> |
|---|----------------|-------------|------------|------------|
| Perfluorobutane Acid (PFBA) | 375-22-4 | mg/kg | 0.010 | ND |
| Perfluoropentane Acid (PFPA) | 2706-90-3 | mg/kg | 0.010 | ND |
| Perfluorohexane acid (PFHxA) | 307-24-4 | mg/kg | 0.010 | ND |
| Ammonium perfluorohexanoate (PFHxA-NH ₄) * | 21615-47-4 | mg/kg | 0.010 | ND |
| 7H-Dodecanefluoroheptane Acid (HPFHpA) | 1546-95-8 | mg/kg | 0.010 | ND |
| Perfluorobutane Sulfonate (PFBS) | 375-73-5 | mg/kg | 0.010 | ND |
| Perfluorobutanesulfonate K-salt (PFBS-K)* | 29420-49-3 | mg/kg | 0.010 | ND |
| Nonafluorobutanesulfonic Acid Hydrate (PFBS-H ₂ O) * | 59933-66-3 | mg/kg | 0.010 | ND |
| N,N,N,-triethylethanaminium | 25628-08-4 | mg/kg | 0.010 | ND |
| 1,1,2,2,3,3,4,4,4-nonafluorobutane-1-sulfonate (PFBS-N(C ₂ H ₅) ₄) * | | | | |
| 1,1,2,2,3,3,4,4,4-nonafluorobutane-1-sulphonyl fluoride * | 375-72-4 | mg/kg | 0.010 | ND |
| Perfluoroheptane Acid (PFHpA) | 375-85-9 | mg/kg | 0.010 | ND |
| 1H,1H,2H,2H-Perfluorooctanesulphonic acid (H ₄ PFOS 6:2) | 27619-97-2 | mg/kg | 0.010 | ND |
| Perfluorooctanoic acid (PFOA) | 335-67-1 | mg/kg | 0.010 | ND |
| Ammonium pentadecafluorooctanoate(APFO)* | 3825-26-1 | mg/kg | 0.010 | ND |
| Sodium perfluorooctanoate (PFOA-Na)* | 335-95-5 | mg/kg | 0.010 | ND |
| Potassium perfluorooctanoate (PFOA-K)* | 2395-00-8 | mg/kg | 0.010 | ND |
| Silver perfluorooctanote (PFOA-Ag)* | 335-93-3 | mg/kg | 0.010 | ND |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Test Report

No. CANEC2225795401

Date: 16 Dec 2022

Page 3 of 6

| Test Item(s) | CAS NO. | Unit | MDL | 001 |
|--|-------------|-------|-------|-----|
| Perfluorooctanoyl fluoride (PFOA-F)* | 335-66-0 | mg/kg | 0.010 | ND |
| 2H,2H-Perfluorodecane Acid (H ₂ PFDA) | 27854-31-5 | mg/kg | 0.010 | ND |
| Tetrabutylphosphonium 2H,2H-Perfluorodecanoate (H ₂ PFDA-P(C ₄ H ₉) ₄) | 882489-14-7 | mg/kg | 0.010 | ND |
| Perfluorohexane Sulfonate (PFHxS) | 355-46-4 | mg/kg | 0.010 | ND |
| Perfluorohexanesulfonate Na-salt (PFHxS-Na)* | 82382-12-5 | mg/kg | 0.010 | ND |
| Perfluorohexanesulfonate K-salt (PFHxS-K)* | 3871-99-6 | mg/kg | 0.010 | ND |
| Ammonium perfluorohexane-1-sulphonate (PFHxS-NH ₄)* | 68259-08-5 | mg/kg | 0.010 | ND |
| 1-Hexanesulfonic acid, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-, lithium salt (1:1) (PFHxS-Li)* | 55120-77-9 | mg/kg | 0.010 | ND |
| 1-Hexanesulfonic acid, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-, zinc salt (PFHxS-Zn)* | 70136-72-0 | mg/kg | 0.010 | ND |
| Perfluorononane Acid (PFNA) | 375-95-1 | mg/kg | 0.010 | ND |
| Perfluorononanoate Na-Salt (PFNA-Na)* | 21049-39-8 | mg/kg | 0.010 | ND |
| Perfluorononanoate ammonium salt (APFN)* | 4149-60-4 | mg/kg | 0.010 | ND |
| Perfluoro-3,7-dimethyloctanoic Acid (PF-3,7-DMOA) | 172155-07-6 | mg/kg | 0.010 | ND |
| Perfluoroheptane Sulfonate (PFHpS) | 375-92-8 | mg/kg | 0.010 | ND |
| Perfluoroheptanesulfonate Na-salt (PFHpS-Na)* | 68555-66-8 | mg/kg | 0.010 | ND |
| Potassium Perfluoroheptanesulfonate (PFHpS-K) * | 60270-55-5 | mg/kg | 0.010 | ND |
| Perfluorodecane Acid (PFDA) | 335-76-2 | mg/kg | 0.010 | ND |
| Perfluorodecanoate Na-salt(PFDA-Na)* | 3830-45-3 | mg/kg | 0.010 | ND |
| Perfluorodecanoate ammonium salt(APFDA)* | 3108-42-7 | mg/kg | 0.010 | ND |
| 2H,2H,3H,3H-Perfluoroundecanoic acid (4HPFUa) | 34598-33-9 | mg/kg | 0.010 | ND |
| Perfluorooctane sulfonates (PFOS) | 1763-23-1 | mg/kg | 0.010 | ND |
| Perfluorooctane Sulfonamide (PFOSA) | 754-91-6 | mg/kg | 0.010 | ND |
| N-methylperfluoro-1-octanesulfonamide(MeFOSA) | 31506-32-8 | mg/kg | 0.010 | ND |
| N-ethylperfluoro-1-octanesulfonamide (EtFOSA) | 4151-50-2 | mg/kg | 0.010 | ND |
| 2-(N-methylperfluoro-1-octanesulfonamido)-ethanol(MeFOSE) | 24448-09-7 | mg/kg | 0.010 | ND |
| 2-(N-ethylperfluoro-1-octanesulfonamido)-ethanol(EtFOSE) | 1691-99-2 | mg/kg | 0.010 | ND |
| Perfluorooctane Sulfonyl fluoride(POSF)* | 307-35-7 | mg/kg | 0.010 | ND |
| Potassium Perfluorooctanesulfonate (PFOS-K)* | 2795-39-3 | mg/kg | 0.010 | ND |
| Perfluorooctanesulfonic acid, ammonium salt (PFOS-NH ₄)* | 29081-56-9 | mg/kg | 0.010 | ND |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Test Report

No. CANEC2225795401

Date: 16 Dec 2022

Page 4 of 6

| Test Item(s) | CAS NO. | Unit | MDL | 001 |
|---|------------------------|-------|-------|-----|
| N-decyl-N,N-dimethyldecyl-1-aminium | 251099-16-8 | mg/kg | 0.010 | ND |
| 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluorooctane-1-sulfonate (PFOS-DDA)* | | | | |
| Perfluorooctane sulfonate diethanolamine salt (PFOS-NH(OH) ₂)* | 70225-14-8 | mg/kg | 0.010 | ND |
| Perfluorooctanesulfonic acid, lithium salt (PFOS-Li)* | 29457-72-5 | mg/kg | 0.010 | ND |
| Perfluorooctanesulfonic acid, tetraethylammonium salt (PFOS-N(C ₂ H ₅) ₄)* | 56773-42-3 | mg/kg | 0.010 | ND |
| Sodium Perfluorooctanesulfonate (PFOS-Na) * | 4021-47-0 | mg/kg | 0.010 | ND |
| Magnesium bis(perfluorooctane-1-sulfonate) (PFOS-Mg) * | 91036-71-4 | mg/kg | 0.010 | ND |
| Perfluoroundecanoic Acid (PFUdA) | 2058-94-8 | mg/kg | 0.010 | ND |
| Perfluorododecanoic Acid (PFDoA) | 307-55-1 | mg/kg | 0.010 | ND |
| Ammonium tricosfluorododecanoate (PFDoA-NH ₄) * | 3793-74-6 | mg/kg | 0.010 | ND |
| Perfluorodecane Sulfonate (PFDS) | 335-77-3 / 126105-34-8 | mg/kg | 0.010 | ND |
| Perfluorodecanesulfonate Na-salt (PFDS-Na)* | 2806-15-7 | mg/kg | 0.010 | ND |
| Perfluorodecanesulfonate K-salt (PFDS-K)* | 2806-16-8 | mg/kg | 0.010 | ND |
| Perfluoroaliphatic Dean-sulfonate salt of NH ₄ (PFDS-NH ₄)* | 67906-42-7 | mg/kg | 0.010 | ND |
| Perfluorotridecanoic Acid (PFTrA) | 72629-94-8 | mg/kg | 0.010 | ND |
| Perfluorotetradecanoic Acid (PFTeA) | 376-06-7 | mg/kg | 0.010 | ND |
| 1,1,2,2,3,3,4,4,4-nonafluoro-N-(2-hydroxyethyl)-N-methylbutane-1-sulphonamide | 34454-97-2 | mg/kg | 0.010 | ND |
| 2,3,3,3-tetrafluoro-2-(heptafluoropropoxy) propionic acid | 13252-13-6 | mg/kg | 0.010 | ND |
| Ammonium 2,3,3,3-tetrafluoro-2-(heptafluoropropoxy)propionate * | 62037-80-3 | mg/kg | 0.010 | ND |
| Potassium 2,3,3,3-tetrafluoro-2-(heptafluoropropoxy)propionate * | 67118-55-2 | mg/kg | 0.010 | ND |
| 2,3,3,3-tetrafluoro-2-(heptafluoropropoxy)propionyl fluoride | 2062-98-8 | mg/kg | 0.010 | ND |
| N-Methyl-N-(Perfluoro-1-octanesulfonyl) Glycine (N-MeFOSAA) | 2355-31-9 | mg/kg | 0.010 | ND |
| N-Ethyl-N-(Perfluoro-1-octanesulfonyl) Glycine (N-EtFOSAA) | 2991-50-6 | mg/kg | 0.010 | ND |
| bis(3,3,4,4,5,5,6,6,7,7,8,8,9,9,10,10,10-heptadecafluorodecyl) hydrogen phosphate (8:2diPAP) | 678-41-1 | mg/kg | 0.010 | ND |
| Perfluorohexadecanoic Acid (PFHxDA) | 67905-19-5 | mg/kg | 0.010 | ND |
| Perfluorooctadecanoic Acid (PFODA) | 16517-11-6 | mg/kg | 0.010 | ND |
| 1H,1H,2H,2H-Perfluorodecanesulfonic acid (8:2 FTS) | 39108-34-4 | mg/kg | 0.1 | ND |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Test Report

No. CANEC2225795401

Date: 16 Dec 2022

Page 5 of 6

| Test Item(s) | CAS NO. | Unit | MDL | 001 |
|---|--------------|-------|-------|-----|
| N-(Perfluoro-1-octanesulfonyl) Glycine | 2806-24-8 | mg/kg | 0.010 | ND |
| Perfluoro-nonane-sulfonic acid (PFNS) | 68259-12-1 | mg/kg | 0.010 | ND |
| Sodium perfluoro-1-nonanesulfonate (PFNS-Na) * | 98789-57-2 | mg/kg | 0.010 | ND |
| Perfluorododecanesulfonic acid (PFDoDS) | 79780-39-5 | mg/kg | 0.010 | ND |
| Sodium perfluoro-1-dodecanesulfonate (PFDoDS-Na) * | 1260224-54-1 | mg/kg | 0.010 | ND |
| 1H,1H,2H,2H-Perfluorohexanesulfonic acid (4:2 FTS) | 757124-72-4 | mg/kg | 0.010 | ND |
| Pentadecanoic acid, nonacosafuoro- (PFPeDA) | 141074-63-7 | mg/kg | 0.010 | ND |
| Perfluorooctane sulfonates (PFOS) and its derivatives | - | mg/kg | - | ND |
| Perfluoroheptadecanoic acid (PFHpDA) | 57475-95-3 | mg/kg | 0.010 | ND |
| Perfluorononadecanoic acid (PFNDA) | 133921-38-7 | mg/kg | 0.010 | ND |
| Eicosanoic acid, nonatriacontafluoro- (PFECA) | 68310-12-3 | mg/kg | 0.010 | ND |
| Methyl perfluorooctanoate (Me-PFOA) | 376-27-2 | mg/kg | 0.1 | ND |
| Ethyl perfluorooctanoate (Et-PFOA) | 3108-24-5 | mg/kg | 0.1 | ND |
| 1H,1H,2H,2H-Perfluoro-1-decanol (8:2 FTOH) | 678-39-7 | mg/kg | 0.1 | ND |
| 1H,1H,2H,2H-Perfluorodecyl acrylate (8:2 FTA) | 27905-45-9 | mg/kg | 0.1 | ND |
| 1H,1H,2H,2H-Perfluorodecyl methacrylate (8:2 FTMA) | 1996-88-9 | mg/kg | 0.1 | ND |
| Perfluoro-1-iodooctane (PFOI) | 507-63-1 | mg/kg | 0.1 | ND |
| 1H,1H,2H,2H-Perfluoro-1-hexanol (4:2 FTOH) | 2043-47-2 | mg/kg | 0.1 | ND |
| 1H,1H,2H,2H-Perfluoro-1-octanol (6:2 FTOH) | 647-42-7 | mg/kg | 0.1 | ND |
| 1H,1H,2H,2H-Perfluorooctylacrylate (6:2 FTA) | 17527-29-6 | mg/kg | 0.1 | ND |
| 1H,1H,2H,2H-Perfluorododecylacrylate (10:2 FTA) | 17741-60-5 | mg/kg | 0.1 | ND |
| 1H,1H,2H,2H-Perfluoro-1-dodecanol (10:2 FTOH) | 865-86-1 | mg/kg | 0.1 | ND |
| 1-Iodo-1H,1H,2H,2H-perfluorodecane (8:2 FTI) | 2043-53-0 | mg/kg | 0.1 | ND |
| 1H,1H,2H,2H-Perfluorooctyl methacrylate (6:2 FTMAC) | 2144-53-8 | mg/kg | 0.1 | ND |
| 1H,1H,2H,2H-Perfluorodecyltriethoxysilane (PFSI) | 101947-16-4 | mg/kg | 0.1 | ND |
| 1H,1H,2H,2H-Perfluorododecyl methacrylate (10:2 FTMA) | 2144-54-9 | mg/kg | 0.1 | ND |
| Perfluorooctylethene | 21652-58-4 | mg/kg | 0.1 | ND |

Notes :

* The test result is based on the calculation of selected marker(s) and to the worst-case scenario.

Unless otherwise stated, the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule ($w=0$) stated in ILAC-G8:09/2019.



Sample photo:



SGS authenticate the photo on original report only

*** End of Report ***

